

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1, 4, 5, 7-10 in accordance with the following:

1. (Currently Amended) A Web server for transmitting a Web page including dynamically-altered contents determined in accordance with a parameter designated by a user, via a network, comprising:
 - an operation portion determining ~~an entire or part of contents of the Web page in accordance with a parameter designated by a user~~ the dynamically-altered contents;
 - a contents information process portion making a storage portion store ~~the entire or part of the contents of the Web page determined by the operation portion in accordance with the parameter designated by the user~~ the determined dynamically-altered contents in connection with Web page identifying information on the Web page and user identifying information on the user;
 - a Web page generation portion generating the Web page ~~in accordance with the entire or part of the contents of the Web page determined by the operation portion~~ by incorporating therein the determined dynamically-altered contents;
 - a Web page transmission portion transmitting the generated Web page ~~generated by the Web page generation portion~~ to a the-terminal device of the user;
 - a designation reception portion receiving, from an administrator, designation of the Web page identifying information and ~~the user identifying information~~;
 - a contents information extraction portion extracting, from among the dynamically-altered contents stored in the storage portion, ~~the entire or part of the contents of the Web page~~ corresponding to the Web page identifying information and the user identifying information both of which are designated by the administrator;
 - a Web page regeneration portion regenerating the Web page by incorporating therein the extracted contents of the Web page ~~in accordance with the entire or part of the contents extracted by the contents information extraction portion~~; and
 - a regenerated Web page transmission portion transmitting the regenerated Web page ~~regenerated by the Web page regeneration portion~~ to a terminal device of the administrator.

2. (Previously Presented) The Web server according to claim 1, wherein the Web page generation portion generates the Web page in accordance with only necessary contents information among the contents information, and

the contents information process portion makes the storage portion store only the contents information used by the Web page generation portion among the contents information.

3. (Cancelled)

4. (Currently Amended) A Web server having a function of a Java servlet for transmitting a Web page including dynamically-altered contents determined in accordance with parameter designated by a user, via a network, comprising:

~~a business logic unit determining an entire or part of contents of the Web page in accordance with a parameter designated by a user~~ the dynamically-altered contents;

~~a contents information process logic unit making a storage portion store the entire or part of the contents of the Web page determined by the business logic unit in accordance with the parameter designated by the user~~ the determined dynamically-altered contents in connection with Web page identifying information on the Web page and user identifying information on the user;

~~a screen generating logic unit generating the Web page in accordance with the entire or a part of the contents determined by the business logic unit~~ by incorporating therein the determined dynamically-altered contents;

~~a Web page transmission logic unit transmitting the generated Web page generated by the screen generating logic unit to a terminal device of the user;~~

~~a designation reception logic unit receiving, from an administrator, designation of the Web page identifying information and the user identifying information; and~~

~~a replay-reply logic unit regenerating [[a]]the Web page in accordance with the entire or part of the contents~~ by incorporating therein dynamically-altered contents that [[is]]are stored in the storage portion and corresponds correspond to the Web page identifying information and the user identifying information both of which are designated by the administrator to transmit the regenerated Web page to a terminal device of the administrator.

5. (Previously Presented) The Web server having a function of a Java servlet according to claim 4, wherein the screen generating logic unit generates the Web page in accordance with only necessary contents information among the contents information, and

the contents information process logic unit makes the storage portion store only the contents information used by the screen generating logic unit among the contents information.

6. (Cancelled)

7. (Currently Amended) A computer-readable storage medium storing a program for use in a computer that has a function of a Java servlet for transmitting a Web page including dynamically-altered contents determined in accordance with a parameter designated by a user, via a network, the program which when executed by a the computer causes the computer to execute a process comprising:

determining the dynamically-altered contents;

~~generating a the Web page with only contents information necessary for generating the Web page among an entire or part of the contents of the Web page determined by a business logic unit in accordance with a parameter designated by a user~~ by incorporating therein the determined dynamically-altered contents;

transmitting the generated Web page to a terminal device of the user;

~~storing only the necessary contents information among the entire or part of the contents for generating the Web page~~ making a storage portion store the determined dynamically-altered contents in connection with Web page identifying information on the Web page and user identifying information on the user;

receiving, from an administrator, designation of Web page identifying information and user identifying information;

~~extracting the entire or part of the,~~ from among the dynamically-altered contents stored in the storage portion, contents of the Web page corresponding to the Web page identifying information and the user identifying information both of which are designated by the administrator;

regenerating ~~[[a]]the~~ Web page in accordance with the contents extracted by the ~~extracting~~ by incorporating therein the extracted contents of the Web page; and

transmitting the regenerated Web page to a terminal device of the administrator.

8. (Currently Amended) A computer-readable storage medium storing a program for use in a computer ~~to transmit that transmits~~ a Web page including dynamically-altered contents determined in accordance with a parameter designated by a user, via a network, the program which when executed by a the computer causes the computer to execute a process comprising:

~~determining an entire or part of the contents of the Web page in accordance with a parameter designated by a user~~ the dynamically-altered contents;

~~storing making a storage portion store contents information indicating the entire or part of the contents of the Web page determined in accordance with the parameter designated by the user~~ the determined dynamically-altered contents in connection with Web page identifying information on the Web page and user identifying information on the user;

~~generating the Web page in accordance with the determined entire or a part of by~~ incorporating therein the determined dynamically-altered contents;

transmitting the generated Web page to a terminal device of the user;

receiving, from an administrator, designation of the Web page identifying information and ~~the user identifying information~~;

~~extracting, from among the dynamically-altered contents stored in the storage portion, the entire or part of the contents of the Web page~~ corresponding to the Web page identifying information and the user identifying information both of which are designated by the administrator;

~~regenerating the Web page in accordance with the contents extracted by the extracting by incorporating therein the extracted contents of the Web page~~; and

transmitting the regenerated Web page to a terminal device of the administrator.

9. (Currently Amended) A method for transmitting a Web page including dynamically-altered contents determined in accordance with a parameter designated by a user, via a network, comprising:

~~determining an entire or a part of contents of a Web page in accordance with a parameter designated by a user~~ the dynamically-altered contents;

~~storing making a storage portion store contents information indicating the entire or part of the contents of the Web page determined in accordance with the parameter designated by the user~~ the determined dynamically-altered contents in connection with Web page identifying information on the Web page and user identifying information on the user;

~~generating the Web page in accordance with the determined entire or part of the by~~ incorporating therein the determined dynamically-altered contents;

transmitting the generated Web page to a terminal device of the user;

receiving, from an administrator, designation of the Web page identifying information and ~~the user identifying information~~;

extracting, from among the dynamically-altered contents stored in the storage portion, the ~~entire or part of the contents~~ of the Web page corresponding to the Web page identifying information and the user identifying information both of which are designated by the administrator;

regenerating the Web page by incorporating therein the extracted contents of the Web page ~~in accordance with the contents extracted by the extracting~~; and

transmitting the regenerated Web page to a terminal device of the administrator.

10. (Currently Amended) A Web server for transmitting a Web page including dynamically-altered contents determined in accordance with a parameter designated by a user, via a network, comprising;

an operation portion ~~determining an entire or part of contents of the Web page in accordance with a parameter designated by a user~~ the dynamically-altered contents;

a contents information process portion making a storage portion store ~~the entire or part of the contents of the Web page~~ the determined dynamically-altered contents in connection with Web page identifying information on the Web page, user identifying information on the user and date-and-time specifying information specifying date-and-time of the determining ~~when the entire or part of the contents is determined by the operation portion~~;

a Web page generation portion generating the Web page ~~in accordance with the entire or part of the contents of the Web page determined by the operation portion~~ by incorporating therein the determined dynamically-altered contents;

a Web page transmission portion transmitting the generated Web page ~~generated by the Web page generation portion~~ to a terminal device of the user;

a designation reception portion receiving, from an administrator, designation of the Web page identifying information, ~~the user identifying information~~ and a period of time;

a contents information extraction portion extracting, from among the dynamically-altered contents stored in the storage portion, ~~the entire or part of the contents of the Web page~~ corresponding to the Web page identifying information, the user identifying information and date-and-time falling within the period of time all of which are designated by the administrator;

a Web page regeneration portion regenerating the Web page ~~in accordance with the entire or part of the contents extracted by the contents information extraction portion~~ by incorporating therein the extracted contents of the Web page; and

a regenerated Web page transmission portion transmitting the regenerated Web page ~~regenerated by the Web page regeneration portion~~ to a terminal device of the administrator.